

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB

**KLÜBER**  
LUBRICATION

## ISOFLEX NBU 15

Version	Revision Date:	Date of last issue: 21.05.2019	Print Date:
2.7	06.06.2019	Date of first issue: 03.04.2014	06.06.2019

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product name : ISOFLEX NBU 15

Article-No. : 004026

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : Grease

Recommended restrictions  
on use : Restricted to professional users.

#### 1.3 Details of the supplier of the safety data sheet

Company : Klüber Lubrication München  
Geisenhausenerstr. 7  
81379 München  
Deutschland  
Tel: +49 (0) 89 7876 0  
Fax: +49 (0) 89 7876 333  
info@klueber.com

E-mail address of person  
responsible for the SDS : mcm@klueber.com  
Material Compliance Management

National contact : Klüber Lubrication Great Britain Limited  
Unit 10 Pennine Business Park  
Longbow Close  
Huddersfield  
West Yorkshire HD2 1GQ  
Great Britain  
Tel: +44-1422-205115  
Fax: +44-1422-206073  
sales@uk.klueber.com

#### 1.4 Emergency telephone number

Emergency telephone  
number : +49 89 7876 700 (24 hrs)

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008)**

Not a hazardous substance or mixture.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB

**KLÜBER**  
LUBRICATION

## ISOFLEX NBU 15

Version	Revision Date:	Date of last issue: 21.05.2019	Print Date:
2.7	06.06.2019	Date of first issue: 03.04.2014	06.06.2019

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### Additional Labelling

EUH210 Safety data sheet available on request.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Mineral oil.  
Synthetic hydrocarbon oil  
ester oil  
barium complex soap

#### Hazardous components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration limits M-Factor Notes	Concentration (% w/w)
Dec-1-ene, homopolymer, hydrogenated	68037-01-4 500-183-1  01-2119486452-34-XXXX	Asp. Tox.1; H304		>= 10 - < 20

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB

**KLÜBER**  
LUBRICATION

## ISOFLEX NBU 15

Version 2.7	Revision Date: 06.06.2019	Date of last issue: 21.05.2019 Date of first issue: 03.04.2014	Print Date: 06.06.2019
----------------	------------------------------	---	---------------------------

- If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Take off all contaminated clothing immediately.  
Wash off immediately with soap and plenty of water.  
Get medical attention immediately if irritation develops and persists.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
If eye irritation persists, consult a specialist.
- If swallowed : Move the victim to fresh air.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
Do NOT induce vomiting.  
Obtain medical attention.  
Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : No information available.
- Risks : None known.

### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : No information available.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire-fighting : Fire may cause evolution of:  
Carbon oxides  
Metal oxides  
Nitrogen oxides (NOx)

### 5.3 Advice for firefighters

- Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB

**KLÜBER**  
LUBRICATION

## ISOFLEX NBU 15

Version	Revision Date:	Date of last issue: 21.05.2019	Print Date:
2.7	06.06.2019	Date of first issue: 03.04.2014	06.06.2019

for firefighters : Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

Further information : Standard procedure for chemical fires.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.  
Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust).  
Do not breathe vapours, aerosols.  
Refer to protective measures listed in sections 7 and 8.

#### 6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water courses.  
Local authorities should be advised if significant spillages cannot be contained.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clean up promptly by sweeping or vacuum.  
Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For personal protection see section 8.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash hands and face before breaks and immediately after handling the product.  
Do not get in eyes or mouth or on skin.  
Do not get on skin or clothing.  
Do not ingest.  
Do not repack.  
These safety instructions also apply to empty packaging which may still contain product residues.  
Keep container closed when not in use.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB

**KLÜBER**  
LUBRICATION

## ISOFLEX NBU 15

Version	Revision Date:	Date of last issue: 21.05.2019	Print Date:
2.7	06.06.2019	Date of first issue: 03.04.2014	06.06.2019

handling.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

### 7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
White mineral oil (petroleum)	Workers	Inhalation	Long-term systemic effects	160 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	220 mg/kg
bis(4-(1,1,3,3-tetramethylbutyl)phenyl)amine	Workers	Inhalation	Long-term systemic effects	4.11 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	1.17 mg/kg bw/day

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
bis(2-ethylhexyl) sebacate	Soil	0.865 mg/kg
bis(4-(1,1,3,3-tetramethylbutyl)phenyl)amine	Fresh water	0.00002 µg/l
	Marine water	0.000002 µg/l
	Fresh water sediment	0.00467 mg/kg
	Marine sediment	0.000467 mg/kg
	Soil	0.000934 mg/kg

### 8.2 Exposure controls

#### Engineering measures

Handle only in a place equipped with local exhaust (or other appropriate exhaust).

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB

**KLÜBER**  
LUBRICATION

## ISOFLEX NBU 15

Version	Revision Date:	Date of last issue: 21.05.2019	Print Date:
2.7	06.06.2019	Date of first issue: 03.04.2014	06.06.2019

### Personal protective equipment

- Eye protection : Tightly fitting safety goggles
- Hand protection
- Material : Nitrile rubber
  - Protective index : Class 1
- Remarks : For prolonged or repeated contact use protective gloves. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.
- Respiratory protection : Not required; except in case of aerosol formation.
- Filter type : Filter type P
- Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.  
Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- Appearance : paste
- Colour : beige
- Odour : characteristic
- Odour Threshold : No data available
- pH : Not applicable
- Melting point/range : No data available
- Boiling point/boiling range : No data available
- Flash point : Not applicable  
Other information: Sustains combustion
- Evaporation rate : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB

**KLÜBER**  
LUBRICATION

## ISOFLEX NBU 15

Version	Revision Date:	Date of last issue: 21.05.2019	Print Date:
2.7	06.06.2019	Date of first issue: 03.04.2014	06.06.2019

Flammability (solid, gas) : No data available  
Combustible Solids

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : < 0.001 hPa (20 °C)

Relative vapour density : No data available

Density : 0.99 g/cm<sup>3</sup>  
(20 °C)

Bulk density : Not applicable

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : No data available

### 9.2 Other information

Sublimation point : Not applicable

Self-ignition : No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No hazards to be specially mentioned.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB

**KLÜBER**  
LUBRICATION

## ISOFLEX NBU 15

Version	Revision Date:	Date of last issue: 21.05.2019	Print Date:
2.7	06.06.2019	Date of first issue: 03.04.2014	06.06.2019

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

### 10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

### 10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

##### Product:

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Remarks: This information is not available.

##### Components:

#### **Dec-1-ene, homopolymer, hydrogenated:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 423  
GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 5.2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: yes  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB

**KLÜBER**  
LUBRICATION

## ISOFLEX NBU 15

Version	Revision Date:	Date of last issue: 21.05.2019	Print Date:
2.7	06.06.2019	Date of first issue: 03.04.2014	06.06.2019

### Skin corrosion/irritation

**Product:**

Remarks: This information is not available.

**Components:**

**Dec-1-ene, homopolymer, hydrogenated:**

Species: Rabbit  
Assessment: No skin irritation  
Method: OECD Test Guideline 404  
Result: No skin irritation  
GLP: yes

### Serious eye damage/eye irritation

**Product:**

Remarks: This information is not available.

**Components:**

**Dec-1-ene, homopolymer, hydrogenated:**

Species: Rabbit  
Assessment: No eye irritation  
Method: OECD Test Guideline 405  
Result: No eye irritation  
GLP: yes

### Respiratory or skin sensitisation

**Product:**

Remarks: This information is not available.

**Components:**

**Dec-1-ene, homopolymer, hydrogenated:**

Test Type: Maximisation Test  
Species: Guinea pig  
Assessment: Does not cause skin sensitisation.  
Method: OECD Test Guideline 406  
Result: Does not cause skin sensitisation.  
GLP: yes

### Germ cell mutagenicity

**Product:**

Genotoxicity in vitro : Remarks: No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB

**KLÜBER**  
LUBRICATION

## ISOFLEX NBU 15

Version 2.7	Revision Date: 06.06.2019	Date of last issue: 21.05.2019 Date of first issue: 03.04.2014	Print Date: 06.06.2019
----------------	------------------------------	---	---------------------------

Genotoxicity in vivo : Remarks: No data available

### Components:

#### **Dec-1-ene, homopolymer, hydrogenated:**

Genotoxicity in vitro : Test Type: Ames test  
Method: Mutagenicity (Escherichia coli - reverse mutation assay)  
Result: negative  
GLP: yes

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.

### **Carcinogenicity**

#### Product:

Remarks: No data available

### Components:

#### **Dec-1-ene, homopolymer, hydrogenated:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

### **Reproductive toxicity**

#### Product:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

### Components:

#### **Dec-1-ene, homopolymer, hydrogenated:**

Reproductive toxicity - Assessment : No toxicity to reproduction  
Did not show teratogenic effects in animal experiments.

### **Repeated dose toxicity**

#### Product:

Remarks: This information is not available.

### **Aspiration toxicity**

#### Product:

This information is not available.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB

**KLÜBER**  
LUBRICATION

## ISOFLEX NBU 15

Version	Revision Date:	Date of last issue: 21.05.2019	Print Date:
2.7	06.06.2019	Date of first issue: 03.04.2014	06.06.2019

### Components:

#### **Dec-1-ene, homopolymer, hydrogenated:**

May be fatal if swallowed and enters airways.

### **Further information**

#### Product:

Remarks: Information given is based on data on the components and the toxicology of similar products.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae : Remarks: No data available

Toxicity to microorganisms :  
Remarks: No data available

#### Components:

#### **Dec-1-ene, homopolymer, hydrogenated:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 1,000 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l  
Exposure time: 48 h  
Test Type: Immobilization  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae : ErC50 (Scenedesmus capricornutum (fresh water algae)): > 1,000 mg/l  
Exposure time: 72 h  
Test Type: Growth inhibition  
Method: OECD Test Guideline 201  
GLP: yes

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB

**KLÜBER**  
LUBRICATION

## ISOFLEX NBU 15

Version	Revision Date:	Date of last issue: 21.05.2019	Print Date:
2.7	06.06.2019	Date of first issue: 03.04.2014	06.06.2019

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 125 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

### 12.2 Persistence and degradability

#### Product:

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

#### Components:

##### **Dec-1-ene, homopolymer, hydrogenated:**

Biodegradability : Test Type: Primary biodegradation  
Inoculum: activated sludge  
Result: Not readily biodegradable.  
Method: OECD Test Guideline 301B

### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).  
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

#### Components:

##### **Dec-1-ene, homopolymer, hydrogenated:**

Partition coefficient: n-octanol/water : log Pow: > 6.5 (20 °C)

### 12.4 Mobility in soil

#### Product:

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB



## ISOFLEX NBU 15

Version 2.7	Revision Date: 06.06.2019	Date of last issue: 21.05.2019 Date of first issue: 03.04.2014	Print Date: 06.06.2019
----------------	------------------------------	---	---------------------------

0.1% or higher..

### Components:

#### **Dec-1-ene, homopolymer, hydrogenated:**

Assessment : Non-classified PBT substance. Non-classified vPvB substance.

### 12.6 Other adverse effects

#### Product:

Additional ecological information : No information on ecology is available.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.

Waste codes should be assigned by the user based on the application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.  
Dispose of waste product or used containers according to local regulations.

The following Waste Codes are only suggestions:

---

## SECTION 14: Transport information

### 14.1 UN number

ADR : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

### 14.2 UN proper shipping name

ADR : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB

**KLÜBER**  
LUBRICATION

## ISOFLEX NBU 15

Version 2.7	Revision Date: 06.06.2019	Date of last issue: 21.05.2019 Date of first issue: 03.04.2014	Print Date: 06.06.2019
----------------	------------------------------	---	---------------------------

**ADR** : Not regulated as a dangerous good  
**IMDG** : Not regulated as a dangerous good  
**IATA** : Not regulated as a dangerous good

### 14.4 Packing group

**ADR** : Not regulated as a dangerous good  
**IMDG** : Not regulated as a dangerous good  
**IATA (Cargo)** : Not regulated as a dangerous good  
**IATA (Passenger)** : Not regulated as a dangerous good

### 14.5 Environmental hazards

**ADR** : Not regulated as a dangerous good  
**IMDG** : Not regulated as a dangerous good  
**IATA (Passenger)** : Not regulated as a dangerous good  
**IATA (Cargo)** : Not regulated as a dangerous good

### 14.6 Special precautions for user

No special precautions required.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - Restrictions on the manufacture, placing on : Not applicable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB



## ISOFLEX NBU 15

Version	Revision Date:	Date of last issue: 21.05.2019	Print Date:
2.7	06.06.2019	Date of first issue: 03.04.2014	06.06.2019

the market and use of certain dangerous substances, preparations and articles (Annex XVII)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)

Remarks: Not applicable

### 15.2 Chemical safety assessment

This information is not available.

## SECTION 16: Other information

### Full text of H-Statements

H304 : May be fatal if swallowed and enters airways.

### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB



## ISOFLEX NBU 15

Version	Revision Date:	Date of last issue: 21.05.2019	Print Date:
2.7	06.06.2019	Date of first issue: 03.04.2014	06.06.2019

Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

This safety data sheet applies only to products originally packed and labelled by KLÜBER LUBRICATION. The information contained therein may not be reproduced or modified without the express written permission of KLÜBER LUBRICATION. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of our safety data sheets (e.g. as a document for download from the Internet) is not permitted without the express written consent of KLÜBER LUBRICATION. KLÜBER LUBRICATION provides its customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. KLÜBER LUBRICATION provides no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorised trading partner of KLÜBER LUBRICATION.