

Date: \_\_\_\_\_ Name: \_\_\_\_\_ Facility: \_\_\_\_\_

HOUSEKEEPING & STORAGE	YES	NO	n/a	COMMENTS
Exits, stairs, & designated walkways clear?				
Free of slip/trip hazards? ( <i>dust/spills/holes/debris</i> )				
Lighting adequate in work areas & walkways?				
Good housekeeping?				
Propane cylinders stored outside & upright?				
Supplies/materials stacked/stored safely?				
Sprinkler controls – unobstructed access				
Sprinkler heads – min. 18-in. clearance				

MACHINES & SAFETY EQUIPMENT	YES	NO	n/a	COMMENTS
Proper guards/interlocks in place & function?				
No dust accumulations in machining areas				
Dust collection – proper hook-up & function?				
Equipment undamaged & working properly?				
Equip. properly locked/tagged out?				
Eye wash station clean, current, unobstructed				
Safety nozzles on all compressed air hoses?				

PERSONAL PROTECTIVE EQUIPMENT (PPE)	YES	NO	n/a	COMMENTS
PPE necessary for job is readily available?				
Spray booth PPE? ( <i>coat, respirator, gloves, eye...</i> )				
Safety glasses worn production areas?				
Protective gloves for handling stock/InstaPac?				
Ear plugs – req'd areas posted & being used?				
Appropriate footwear worn?				
Hi-viz vest in shipping/dock areas?				
Visitors provided PPE & use it?				

GENERAL WORK AREAS	YES	NO	n/a	COMMENTS
Containers properly stored & labeled?				
No food/drink around hazardous chemicals?				
Forklift – daily insp.; seatbelt; safe operation				
Ext. cords - temp. use; no damage/trip hazard				
Min. 3-ft. clear around panels/disconnects?				

FIRE SAFETY	YES	NO	n/a	COMMENTS
Fire extinguishers charged & unobstructed?				
Flammables stored in proper containers?				
Max. 1-day supply of flams outside cabinet?				
Flams stored inside closed storage cabinet?				
UL trash can for oily/solvent/paint/stain rags?				
Spray booth maint.? ( <i>clean, filters, no stg./cords</i> )				

OTHER OBSERVATIONS/COMMENTS: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_